

Information Technology/Networking Skill Standards Checklist

CERTIFICATION AREAS COMPLETED:	Student Name
Core Abilities	School District
Safety	YA Consortium
Year 1 Semester One Semester Two	YA Coordinator
Year 2	High School Diploma/GED/HSED
Semester Three Semester Four	Date Received
A minimum of 900 work hours	
All CISCO worksite competencies are transfer Wisconsin Information Technology/Networkin	•
Total Hours Company Employed	

Instruction for the Worksite Mentor

The Skill Standards Checklist is a list of competencies (tasks) to be achieved through mentoring at the worksite.

- Each competency has three levels.
- The worksite mentor should rate each competency as the student acquires and demonstrates the skill.
- A competency may be revisited and the score raised as the student becomes more proficient at the worksite.
- The mentor and the student should go over the checklist together on a regular basis (at a minimum every 9 weeks) to record progress and plan future steps to complete the required competencies.

Please sign this page if you have been a mentor, trainer or instructor of this student.

CERTIFICATION: I certify that this student has successfully completed the competencies required in my department.

Mentor/Trainer Signature	Printed Name
Department	Date Signed
Mentor/Trainer Signature	Printed Name
Department	Date Signed
Mentor/Trainer Signature	Printed Name
Department	Date Signed
Mentor/Trainer Signature	Printed Name
Department	Date Signed
Mentor/Trainer Signature	Printed Name
Department	Date Signed
Instructor Signature	Printed Name
Department	Date Signed
Instructor Signature	Printed Name
Department	Date Signed

Core Abilities	Required
----------------	----------

Core abilities address broad knowledge, skills, and attitudes that go beyond the context of a specific course. These standards are not taught in specific lessons. These are the employability skills that are critical for success in the information technology industry.

R	Δ	7	ľ	J	(7	•

- 3 = Consistently displays this behavior
- 2 = Often displays this behavior
- 1 = Rarely displays this behavior

		Score		<u>}</u>	
1.	Works productively	3	2	1	
2.	Learns effectively	3	2	1	
3.	Communicates clearly with supervisor and others	3	2	1	
4.	Works cooperatively with others	3	2	1	
5.	Acts responsibly	3	2	1	
6.	Thinks critically and creatively	3	2	1	
7.	Works as a team member	3	2	1	
8.	Works well with individuals from diverse backgrounds	3	2	1	
9.	Chooses ethical courses of action	3	2	1	
	All competencies in this section must be rated 2 or higher				
Com	Comments:				

Safety	Required
•	

RATING:

3 = Consistently displays this behavior

2 = Often displays this behavior

1 = Rarely displays this behavior

		<u> </u>	Score	2
1.	Apply tool, hand and eye safety procedures	3	2	1
2.	Report injuries/accidents following company procedures	3	2	1
3.	Simulate or describe electrical safety procedures	3	2	1
4.	Apply environmental safety and chemical awareness procedures, and follow environmental regulations	3	2	1
5.	Apply safety practices related to infectious disease, blood-borne pathogens, and chemical hygiene	3	2	1
6.	Apply thermal safety procedures	3	2	1
7.	Apply radiation safety procedures	3	2	1
8.	Apply laser safety procedures	3	2	1
9.	Demonstrate lock-out/tag-out procedures associated with potential energy sources	3	2	1
10.	Apply fiber optic handling safety practices	3	2	1
11.	Simulate or describe a leakage check on electronic equipment	3	2	1
12.	Simulate and/or describe the proper procedure for testing electrical equipment to ensure proper grounding	3	2	1
13.	Identify sources of hazardous noise	3	2	1
14.	Demonstrate safe lifting and material handling procedures	3	2	1
15.	Demonstrate traffic and vehicle safety procedures	3	2	1
	All competencies in this section must be rated 3			
Con	nments:			

Semester I

RATING:

3 = Able to perform entry level skills. Has performed task during training program; limited additional training may be required

2 = Has performed task during training program; additional training is required to develop entry level skill

Basi	c Network Design and Analysis	<u> </u>	Score	<u> </u>
1.	Develop and format IP addresses for a network or internetwork	3	2	1
2.	Set up a subnet and assign the subnetwork address	3	2	1
3.	Update network ARP tables	3	2	1
4.	Identify or select media for a network installation	3	2	1
5.	Design and implement a LAN study using the four-step process	3	2	1
6.	Select network media (wiring) for a horizontal cabling application	3	2	1
7.	Select topology type (star or linear bus) for a new LAN installation	3	2	1
8.	Design an Ethernet LAN with Star Topology	3	2	1
9.	Design a LAN with more than one wiring closet with Star Topology	3	2	1
10.	Develop a wiring plan for an extended Star Topology LAN	3	2	1
11.	Select backbone cable (POP to MDF) for single building installation	3	2	1
12.	Select backbone cable (POP to MDF) for multi-building installation with multiple earth grounds	3	2	1
13.	Determine the optimum placement of a wiring closet for a LAN installation in a single building	3	2	1
14.	Determine the optimum placement of a wiring closet for a LAN installation in a multi-story building	3	2	1
15.	Determine the optimum placement of a wiring closet for a LAN installation in a multi-building building	3	2	1
16.	Design a wiring closet for a network	3	2	1
17.	Determine the location for a network Main Distribution Facility (MDF)	3	2	1
18.	Determine the location for a network Intermediate Distribution Facility (IDF)	3	2	1
19.	Determine the location for a network patch panel	3	2	1
20.	Develop a cut sheet	3	2	1
21.	Create basic network documentation	3	2	1
22.	Use network management station to troubleshoot network problems	3	2	1
23.	Use static electricity grounding devices	3	2	1

Bas	ic Net	work Installation/Wiring	5	Score	2
24.	Mea	asure cable resistance	3	2	1
25.	Perf	form loop resistance or insulation tests	3	2	1
	-	cies #26 – 29 involve electricity or wiring and may be restricted – youth apprentices should ate and/or describe the competency.			
	<i>26</i> .	Check quality of cable ground(s)	3	2	1
	27.	Wire an electrical socket	3	2	1
	28.	Measure AC voltage	3	2	1
	29.	Measure DC voltage	3	2	1
30.	Inst	all UTP cable	3	2	1
31.	Inst	all STP cable	3	2	1
32.	Fish	a cable from above a wall	3	2	1
33.	Fish	a cable from below a wall	3	2	1
34.	Lab	el cables	3	2	1
35.	Lab	el terminators	3	2	1
36.	Pun	ch data wires into a patch panel	3	2	1
37.	Inst	all a data surface mount	3	2	1
38.	Inst	all a data flush mount	3	2	1
39.	Con	nect data cable to a jack	3	2	1
40.	Spli	ce wire cable	3	2	1
41.	Spli	ce fiber-optic cable	3	2	1
42.	Inst	all a LAN with Star Topology in more than one wiring closet	3	2	1
Test	Netw	ork Operation			
43.	Con	duct visual inspection of media layer	3	2	1
44.	Ver	ify integrity of media layer installation	3	2	1
45.	Ider	ntify solutions to variance in electrical supply	3	2	1
46.	Tes	t LAN to determine baseline measurements	3	2	1
47.	Tes	t cable using a Time Domain Reflector	3	2	1
48.	Tes	t/evaluate the LAN for operational performance and integrity	3	2	1
49.	Perf	form operational checks of routers, servers, or hubs	3	2	1

Troubleshoot network operational problems	3	2	1		
Analyze written and verbal network problem reports and recommend solutions	3	2	1		
Develop summary reports of network reported problem(s) and associated corrective action(s)	3	2	1		
Develop a recommended change for a LAN system, given customer stated LAN performance problems	3	2	1		
items completed with a 1 or higher rating (53 required)					
items completed with a 3 rating (26 required)					
Comments:					
	Analyze written and verbal network problem reports and recommend solutions Develop summary reports of network reported problem(s) and associated corrective action(s) Develop a recommended change for a LAN system, given customer stated LAN performance problems items completed with a 1 or higher rating (53 required) items completed with a 3 rating (26 required)	Analyze written and verbal network problem reports and recommend solutions Develop summary reports of network reported problem(s) and associated corrective action(s) Develop a recommended change for a LAN system, given customer stated LAN performance problems Titems completed with a 1 or higher rating (53 required) Titems completed with a 3 rating (26 required)	Analyze written and verbal network problem reports and recommend solutions 3 2 Develop summary reports of network reported problem(s) and associated corrective action(s) 3 2 Develop a recommended change for a LAN system, given customer stated LAN performance problems 3 2 Sitems completed with a 1 or higher rating (53 required) Sitems completed with a 3 rating (26 required)		

Semester II

RATING:

- 3 = Able to perform entry level skills. Has performed task during training program; limited additional training may be required
- 2 = Has performed task during training program; additional training is required to develop entry level skill

Netv	work Design and Analysis	<u> </u>	Score	<u>}</u>
1.	Design a subnetwork in classes B and C	3	2	1
2.	Write a routing protocol	3	2	1
3.	Update routing tables	3	2	1
4.	Recommend appropriate user interfaces for a designated user	3	2	1
5.	Recommend console terminals, auxiliary port modems, and virtual terminals for a designated external configuration	3	2	1
6.	Recommend RAM/DRAM, NVRAM, Flash, ROM, and interfaces that meet the industry standard for a designated configuration	3	2	1
7.	Recommend the appropriate configuration mode in order to perform a designated operation	3	2	1
8.	Recommend the appropriate use of CISCO Discovery Protocol, CDP Neighbors, or Telnet in a specific network architecture	3	2	1
Netv	vork Router Installation			
9.	Configure a router	3	2	1
10.	Perform initial router software "handling" tests	3	2	1
11.	Load CISCO IOS or other router operating software	3	2	1
12.	Create and load a software image backup	3	2	1
13.	Configure IP addresses for a set of interconnected networks	3	2	1
14.	Configure and apply a router to enable the IP routing protocols of RIP, IGRP and monitoring IP	3	2	1
15.	Document the process, problems and solutions for a network startup sequence	3	2	1
16.	Apply system setup mode	3	2	1
17.	Configure the network from TFTP server	3	2	1
18.	Configure the network from NVRAM	3	2	1
19.	Configure the network or router using user EXEC mode	3	2	1
20.	Configure the network or router using Global configure mode	3	2	1

Netw	Network Router Installation (continued)						
21.	Configure the network or router using IP routing protocol mode	3	2	1			
22.	Configure IP addresses	3	2	1			
23.	Configure the network or router using Interface configure mode	3	2	1			
24.	Manage configuration files by applying privileged EXEC mode	3	2	1			
25.	Apply configuration methods to control router passwords and router identification	3	2	1			
26.	Locate CISCO IOS or other operating systems software using TFTP server control	3	2	1			
27.	Execute NVRAM – default source using TFTP server control	3	2	1			
28.	Locate command information software on the router	3	2	1			
29.	Use bootstrap options to locate flash memory and network server ROM	3	2	1			
30.	Upgrade image software backup from the Internet	3	2	1			
31.	Apply commands to locate CISCO IOS or other operating systems software	3	2	1			
Test N	Network and Router Operations						
32.	Review command history	3	2	1			
33.	Access a router and examine/maintain its components	3	2	1			
34.	Access a router and test network connectivity	3	2	1			
35.	Update a router's configuration files	3	2	1			
36.	Maintain backup files	3	2	1			
37.	Upgrade CISCO IOS or other operating system software	3	2	1			
38.	Configure, monitor and verify standard and extended access lists to filter IP traffic	3	2	1			
39.	Identify and implement solutions to LAN to LAN routing problems	3	2	1			
40.	Determine and conduct a test of a network layer	3	2	1			
41.	Determine and conduct a test of an application layer	3	2	1			
42.	Determine and conduct a test of a data link layer	3	2	1			
43.	Determine and conduct a test of a physical layer	3	2	1			
44.	Identify and implement solutions to specific LAN to WAN routing problems	3	2	1			
45.	Identify and implement solutions associated with specific layer descapsulation	3	2	1			
# Of	# Of items completed with a 1 or higher rating (43 required)						
# Of	items completed with a 3 rating (23 required)						

Semester III

RATING:

3 = Able to perform entry level skills. Has performed task during training program; limited additional training may be required

2 = Has performed task during training program; additional training is required to develop entry level skill

Network Design and Analysis		Score		
1.	Demonstrate the scalability of a switched LAN	3	2	1
2.	Design and demonstrate the advantages of a half-duplex LAN	3	2	1
3.	Design and demonstrate the advantages of a full-duplex LAN	3	2	1
4.	Demonstrate the use of segmenting, segmenting steps and dynamic steps in the design of a switched network	3	2	1
5.	Recommend the appropriate use of port-based memory and shared memory buffers in the design of a LAN	3	2	1
6.	Demonstrate the concepts, functions and benefits of a VLAN	3	2	1
7.	Demonstrate the proper use of bridges and/or switches in the design of a LAN in layer three	3	2	1
8.	Demonstrate the proper use of routers in the design of a LAN in layer three	3	2	1
9.	Select appropriate server for use in both an enterprise and a workgroup	3	2	1
10.	Identify and resolve security issues in the design of VLAN	3	2	1
11.	Recommend the appropriate use of store and forward versus cut-through switching methods	3	2	1
12.	Apply the use of loops and bridge protocol data units in the design of a LAN using STP	3	2	1
13.	Design a switched network for multiple VLANS (ID)	3	2	1
14.	Design a network with multiple routers and segments using access lists to filter traffic for specific segments (or users)	3	2	1
15.	Design a multiple router network using a dynamic routing protocol	3	2	1
16.	Summarize the process used in the setup of a VLAN	3	2	1
Netw	ork Installation			
17.	Configure and document a single switch LAN with multiple VLANS	3	2	1
18.	Configure and document a LAN using multiple switches and VLANS	3	2	1
19.	Relocate and document user locations in a VLAN	3	2	1
20.	Configure a LAN using firewall segmentation for broadcast	3	2	1
21.	Identify and document changes to the initial configuration to port-centric VLANS and dynamic VLANS	3	2	1
22.	Configure switch to override auto sensing port	3	2	1

Network Installation (continued)		Score		
23.	Identify and apply the appropriate use of the dynamic routing protocol for IP/IPX	3	2	1
24.	Configure standard and extended access lists to filter IP traffic	3	2	1
Test	Network Operation			
25.	Detect collisions with CSMA/CD (Carrier Sense Multiple Access/Collision Detect)	3	2	1
26.	Identify and provide solutions to congestion and bandwidth problems in a switched LAN	3	2	1
27.	Resolve high latency problems using the concepts of segmentation and collision domains	3	2	1
28.	Resolve a network problem with the appropriate use of half-duplex Ethernet or full-duplex Ethernet	3	2	1
29.	Identify and document recommendations to lower the number of broadcast storms in a LAN or VLAN	3	2	1
30.	Identify and define a solution to a VLAN problem using the control of the broadcast domain size	3	2	1
31.	Monitor and verify standard and extended access list to filter IP traffic	3	2	1
32.	Verify and document convergence within the network for both IP and IPX routing protocol and IPX SAPs	3	2	1
# Of items completed with a 1 or higher rating (32 required) # Of items completed with a 3 rating (16 required)				
Comments:				

Semester IV

RATING:

- 3 = Able to perform entry level skills. Has performed task during training program; limited additional training may be required
- 2 = Has performed task during training program; additional training is required to develop entry level skill

Wide Area Networking Services		Score		
1.	Use Layer 2 encapsulation protocol to configure WAN connections for specified WAN technology and communicating equipment	3	2	1
2.	Establish the communication protocol for a WAN leased line	3	2	1
3.	Evaluate a customer's need for leased line connectivity and develop a recommendation for the customer	3	2	1
4.	Evaluate a customer's need for a Frame Relay vs. a point-to-point WAN and develop a recommendation	3	2	1
5.	Configure a secondary dial back up (DDR) line for a WAN system	3	2	1
WAN	N Design			
6.	Evaluate a small business communication requirement and recommend a WAN protocol for ISDN services	3	2	1
7.	Evaluate a large business communication requirement and recommend a WAN protocol for ISDN services	3	2	1
8.	Analyze the performance and make recommendations for improvements to an existing inter-network	3	2	1
9.	Analyze the environment, organizational structure, and data flow patterns in a client organization	3	2	1
10.	Define the client organization's WAN requirements for throughput, response time, and access to network resources	3	2	1
11.	Identify client organization's existing or planned applications that pose potential for network congestion	3	2	1
12.	Describe the benefits of a hierarchical network design to a client wishing to establish a network	3	2	1
13.	Develop the layer or network design for a small company that has sites within a two mile radius of the central office	3	2	1
14.	Determine the placement of the enterprise server in a network system, relative to the types and quantities of network traffic	3	2	1
15.	Select and configure PPP authentication protocol	3	2	1
16.	Check the LCP and NCP states of configured PPP	3	2	1
17.	Develop a customer recommendation for remote access using ISDN or a Dialup system	3	2	1
18.	Select and recommend equipment that uses the ISDN BRI service for a customer's facility	3	2	1
19.	Select and recommend equipment that uses the ISDN PRI service for a customer's facility	3	2	1
20.	Establish an "R" network interface	3	2	1
21.	Establish an "S" network interface	3	2	1

WAN Design (continued)		<u> </u>	<u>Score</u>		
22.	Establish an "T" network interface	3	2	1	
23.	Establish an "U" network interface	3	2	1	
24.	Identify and recommend a network remote access encapsulation solution for an identified customer environment	3	2	1	
ISDN	Configuration				
25.	Specify ISDN switch type for a customer's router configuration	3	2	1	
26.	Configure a router to plan ISDN network-level calls and transfer data among the United States and Canada, France, Japan, Germany, and the United Kingdom	3	2	1	
27.	Configure a WAN to receive calls from more than one dial-up source	3	2	1	
28.	Use ISDN SPID1 and ISDN SPID2 commands to access the ISDN network	3	2	1	
29.	Verify legacy dial back up (DDR) operation	3	2	1	
30.	Identify problems and associated solutions to legacy dial back up (DDR) malfunctions	3	2	1	
# Of items completed with a 1 or higher rating (30 required) # Of items completed with a 3 rating (15 required) Comments:					

Special Projects or Certifications/Cisco Certification (CCNA) Instructor/Mentor Comments: Instructor/Mentor Signature Date Signed

Notes